



Works :
Green Dot Electric Limited 59/1/7, Site IV Sahibabad Industrial Area Sahibabad
Distt. Ghaziabad UP 201010 Ph: +91 9810211802
Head Office :
G-9 Hemkunt Tower 98 Nehru Place New Delhi 110019 Ph: Fax: 011-26222088
98101 17725 greendotindia@hotmail.com greendotelectric@gmail.com


PRICE LIST

No. PLD-19 Dated 01/05/2012

For Indian market price list only 'EXPORT pricing has additional charges and min Quantities' on all Web pricing pages and state: 'Refer to our International Distributors for sales enquiries'

1 Single Phase open/Flush air Natural Cooled - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
1 Amps	GD-11-OB		1020	10 Amps	GD-101-OB		5424
2 Amps	GD-21-OB		1680	15 Amps	GD-151-OB		7560
4 Amps	GD-41-OB		3552	20 Amps	GD-201-OB		9720
8 Amps	GD-81-OB		4500	28 Amps	GD-281-OB		12900



2 Single Phase Enclosed air Natural Cooled - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GD-21-P		2520	15 Amps	GD-151-P		8610
4 Amps	GD-41-P		4308	20 Amps	GD-201-P		10560
8 Amps	GD-81-P		5424	28 Amps	GD-281-P		13740
10 Amps	GD-101-P		6456				



3 Single Phase Enclosed Digital Metered with V & A - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GDDM-21-P-VI		9360	15 Amps	GDDM-151-P-VI		14976
4 Amps	GDDM-41-P-VI		10764	20 Amps	GDDM-201-P-VI		19374
8 Amps	GDDM-81-P-VI		12072	28 Amps	GDDM-281-P-VI		22650
10 Amps	GDDM-101-P-VI		12912				



4 Single phase Enclosed Digital Metered with V, A & W - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GDDM-21-P-VIW		14160	15 Amps	GDDM-151-P-VIW		19776
4 Amps	GDDM-41-P-VIW		15564	20 Amps	GDDM-201-P-VIW		24174
8 Amps	GDDM-81-P-VIW		16872	28 Amps	GDDM-281-P-VIW		27450
10 Amps	GDDM-101-P-VIW		17712				



5 Two phase open/flush air Natural cooled - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GD-22-OB		3552	15 Amps	GD-152-OB		15720
4 Amps	GD-42-OB		7536	20 Amps	GD-202-OB		20232
8 Amps	GD-82-OB		9060	28 Amps	GD-282-OB		27024
10 Amps	GD-102-OB		9480				



6 Two phase Enclosed portable unit - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GD-22-P		4044	15 Amps	GD-152-P		17016
4 Amps	GD-42-P		7980	20 Amps	GD-202-P		22392
8 Amps	GD-82-P		10020	28 Amps	GD-282-P		29700
10 Amps	GD-102-P		12000				



7 Three phase open/flush unit - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No.	Type	Price ₹	Rating	Cat No.	Type	Price ₹
2 Amps	GD-23-OB		5220	15 Amps	GD-153-OB		23520
4 Amps	GD-43-OB		11340	20 Amps	GD-203-OB		30000

8 Amps	GD-83-OB	14604	28 Amps	GD-283-OB	39960
10 Amps	GD-103-OB	17316			



8 Three phase Enclosed portable unit - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-23-P	5976	15 Amps	GD-153-P	25740
4 Amps	GD-43-P	12912	20 Amps	GD-203-P	30888
8 Amps	GD-83-P	16188	28 Amps	GD-283-P	43704
10 Amps	GD-103-P	19260			



9 Single Phase open motorised unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-21-O-3M-4	4680	15 Amps	GD-151-O-3M-8	10560
4 Amps	GD-41-O-3M-4	6540	20 Amps	GD-201-O-3M-8	12720
8 Amps	GD-81-O-3M-4	7500	28 Amps	GD-281-O-3M-8	15900
10 Amps	GD-101-O-3M-6	8424			



10 Single Phase remote operatable Enclosed motorised unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GDDM-21-P-RM	11160	15 Amps	GDDM-151-P-RM	19128
4 Amps	GDDM-41-P-RM	13752	20 Amps	GDDM-201-P-RM	21216
8 Amps	GDDM-81-P-RM	15048	28 Amps	GDDM-281-P-RM	25200
10 Amps	GDDM-101-P-RM	16392			



11 Three phase open motorised - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-23-O-3M-4	8220	15 Amps	GD-153-O-10M-8	26400
4 Amps	GD-43-O-3M-4	14340	20 Amps	GD-203-O-10M-8	34200
8 Amps	GD-83-O-3M-4	17604	28 Amps	GD-283-O-10M-8	44160
10 Amps	GD-103-O-10M-6	20316			



12 Single Phase Enclosed motorised - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-21-P-3M-4	5520	15 Amps	GD-151-P-3M-8	11610
4 Amps	GD-41-P-3M-4	7308	20 Amps	GD-201-P-3M-8	13560
8 Amps	GD-81-P-3M-4	8424	28 Amps	GD-281-P-3M-8	17940
10 Amps	GD-101-P-3M-6	9456			



13 Single Phase tanked oil Cooled - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Oil Qty.	Price ₹	Rating	Cat No. Type	Oil Qty.	Price ₹
40 Amps	GD-401-T	55	29016	400 Amps	GD-4001-T	350	149160
50 Amps	GD-501-T	90	31632	600 Amps	GD-6001-T	450	187320
60 Amps	GD-601-T	100	33888	800 Amps	GD-8001-T	550	228120
75 Amps	GD-751-T	120	42000	1000 Amps	GD-10001-T	650	282000
100 Amps	GD-1001-T	180	57600	1200 Amps	GD-12001-T	750	355200
150 Amps	GD-1501-T	200	68880	1400 Amps	GD-14001-T	850	452040
200 Amps	GD-2001-T	210	73740	1600 Amps	GD-16001-T	950	570280
300 Amps	GD-3001-T	300	124860				



14 Three phase enclosed motorised - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-23-P-3M-4	8976	15 Amps	GD-153-P-10M-8	28740
4 Amps	GD-43-P-3M-4	15552	20 Amps	GD-203-P-10M-8	35088
8 Amps	GD-83-P-10M-4	19188	28 Amps	GD-283-P-10M-8	47904
10 Amps	GD-103-P-10M-6	22260			



15 Three Phase tanked oil Natural Cooled type - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Oil Qty.	Price ₹	Rating	Cat No. Type	Oil Qty.	Price ₹
4 Amps	GD-43-T	36	17880	15 Amps	GD-153-T	30	31224
8 Amps	GD-83-T	33	21528	20 Amps	GD-203-T	75	43056
10 Amps	GD-103-T	32	24768	28 Amps	GD-283-T	90	53832



16 Single Phase without tank, wiring Handle wheel & Dial/OEM unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-401-OA	19920	400 Amps	GD-4001-OA	79440
50 Amps	GD-501-OA	19920	600 Amps	GD-6001-OA	120552
60 Amps	GD-601-OA	19920	800 Amps	GD-8001-OA	157200
75 Amps	GD-751-OA	30240	1000 Amps	GD-10001-OA	189360
100 Amps	GD-1001-OA	30240	1200 Amps	GD-12001-OA	226140
150 Amps	GD-1501-OA	40680	1400 Amps	GD-14001-OA	260520
200 Amps	GD-2001-OA	40680	1600 Amps	GD-16001-OA	297000
300 Amps	GD-3001-OA	79440			



17 Single Phase open/motorised without tank, wiring Handle wheel & Dial/OEM unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-401-OA-3M-15	24120	400 Amps	GD-4001-OA-10M-15	84840
50 Amps	GD-501-OA-3M-15	24120	600 Amps	GD-6001-OA-20M-15	126552
60 Amps	GD-601-OA-3M-15	24120	800 Amps	GD-8001-OA-20M-15	163200
75 Amps	GD-751-OA-10M-15	34440	1000 Amps	GD-10001-OA-2X20M-15	201360
100 Amps	GD-1001-OA-10M-15	34440	1200 Amps	GD-12001-OA-2X20M-15	238140
150 Amps	GD-1501-OA-10M-15	44880	1400 Amps	GD-14001-OA-3X20M-15	278520
200 Amps	GD-2001-OA-10M-15	44880	1600 Amps	GD-16001-OA-3X20M-15	315000
300 Amps	GD-3001-OA-10M-15	84840			



18 Three Phase open, without tank, wiring Handle wheel & Dial/OEM unit - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-403-OA	56520	400 Amps	GD-4003-OA	219588
50 Amps	GD-503-OA	56520	500 Amps	GD-5003-OA	364200
60 Amps	GD-603-OA	56520	600 Amps	GD-6003-OA	396000
75 Amps	GD-753-OA	81240	800 Amps	GD-8003-OA	516600
100 Amps	GD-1003-OA	81240	1000 Amps	GD-10003-OA	731952
150 Amps	GD-1503-OA	111600	1200 Amps	GD-12003-OA	936540
200 Amps	GD-2003-OA	111600	1400 Amps	GD-14003-OA	1162500
300 Amps	GD-3003-OA	210960	1600 Amps	GD-16003-OA	1377720



19 Three Phase open motorised, without tank, wiring Handle wheel & Dial/OEM unit - Input : 415 / 470 V Output : 0-470 V


Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-403-OA-10M-15	60360	400 Amps	GD-4003-OA-2X20M-15	231588
50 Amps	GD-503-OA-10M-15	60360	500 Amps	GD-5003-OA-2X20M-15	376200

60 Amps	GD-603-OA-10M-15	60360	600 Amps	GD-6003-OA-2X20M-15	408000
75 Amps	GD-753-OA-10M-15	85440	800 Amps	GD-8003-OA-3X20M-15	534600
100 Amps	GD-1003-OA-10M-15	85440	1000 Amps	GD-10003-OA-3X20M-30	749952
150 Amps	GD-1503-OA-10M-15	115800	1200 Amps	GD-12003-OA-3X20M-30	955740
200 Amps	GD-2003-OA-10M-15	115800	1400 Amps	GD-14003-OA-3X20M-60	1180500
300 Amps	GD-3003-OA-2X20M-15	222960	1600 Amps	GD-16003-OA-3X20M-60	1395720



20 Single Phase open, without tank, but with top & wiring without Handle wheel OEM unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-401-OB	22278	400 Amps	GD-4001-OB	88734
50 Amps	GD-501-OB	22932	600 Amps	GD-6001-OB	132552
60 Amps	GD-601-OB	22932	800 Amps	GD-8001-OB	169200
75 Amps	GD-751-OB	33696	1000 Amps	GD-10001-OB	201360
100 Amps	GD-1001-OB	35100	1200 Amps	GD-12001-OB	252540
150 Amps	GD-1501-OB	46224	1400 Amps	GD-14001-OB	274920
200 Amps	GD-2001-OB	46224	1600 Amps	GD-16001-OB	311400
300 Amps	GD-3001-OB	88266			



21 Three Phase open, without tank, but with top & wiring without Handle wheel OEM unit - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-403-OB	61584	400 Amps	GD-4003-OB	241548
50 Amps	GD-503-OB	61584	600 Amps	GD-6003-OB	435600
60 Amps	GD-603-OB	62160	800 Amps	GD-8003-OB	568260
75 Amps	GD-753-OB	88272	1000 Amps	GD-10003-OB	805140
100 Amps	GD-1003-OB	88272	1200 Amps	GD-12003-OB	1030188
150 Amps	GD-1503-OB	121536	1400 Amps	GD-14003-OB	1278744
200 Amps	GD-2003-OB	121536	1600 Amps	GD-16003-OB	1515492
300 Amps	GD-3003-OB	232056			



22 Three phase tanked oil natural cooled units - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Oil Qty.	Price ₹	Rating	Cat No. Type	Oil Qty.	Price ₹
40 Amps	GD-403-T	115	65520	400 Amps	GD-4003-T	970	410520
50 Amps	GD-503-T	125	71136	500 Amps	GD-5003-T	1400	598440
60 Amps	GD-603-T	130	76008	600 Amps	GD-6003-T	1475	645840
75 Amps	GD-753-T	250	110448	800 Amps	GD-8003-T	1600	882648
100 Amps	GD-1003-T	275	120372	1000 Amps	GD-10003-T	1800	1119456
150 Amps	GD-1503-T	330	166980	1200 Amps	GD-12003-T	2000	1356264
200 Amps	GD-2003-T	385	192444	1400 Amps	GD-14003-T	2200	1593072
300 Amps	GD-3003-T	895	364296	1600 Amps	GD-16003-T	2600	1829880



23 Three phase Motorised tanked oil natural cooled units - Input : 415 / 470 V Output : 0-470 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
40 Amps	GD-403-T-10M-15	69720	400 Amps	GD-4003-T-2X20M-15	422520
50 Amps	GD-503-T-10M-15	75336	500 Amps	GD-5003-T-2X20M-15	610440
60 Amps	GD-603-T-10M-15	80208	600 Amps	GD-6003-T-3X20M-15	662640
75 Amps	GD-753-T-10M-15	114648	800 Amps	GD-8003-T-3X20M-30	900648
100 Amps	GD-1003-T-10M-15	124572	1000 Amps	GD-10003-T-3X20M-30	1137456
150 Amps	GD-1503-T-10M-15	170580	1200 Amps	GD-12003-T-3X20M-30	1374264
200 Amps	GD-2003-T-10M-15	196644	1400 Amps	GD-14003-T-3X20M-60	1611072
300 Amps	GD-3003-T-2X20M-15	376296	1600 Amps	GD-16003-T-3X20M-60	1847880



24 Single Phase double layer/extended winding variable input-auto transformer-open OEM unit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
1 Amps	1KVA-DLW-SPL	5340	4 Amps	4KVA-DLW-SPL	11340
2 Amps	2KVA-DLW-SPL	6720	5 Amps	8KVA-DLW-SPL	14580
3 Amps	3KVA-DLW-SPL	8136			



25 Isolating variable transformer-Open safety variable transformer - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
1 Amps	1KVA-ISO-OB	7104	5 Amps	5KVA-ISO-OB	19440
2 Amps	2KVA-ISO-OB	9000	0.5 Amps	05KVA-ISO-OB	3360
3 Amps	3KVA-ISO-OB	10848	0.75 Amps	075KVA-ISO-OB	5232
4 Amps	4KVA-ISO-OB	15120			



26 Single Phase variable voltage 110V auto transformer-openunit - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-21-OB-110V	1176	15 Amps	GD-151-OB-110V	6804
4 Amps	GD-41-OB-110V	2484	20 Amps	GD-201-OB-110V	10080
8 Amps	GD-81-OB-110V	3180	28 Amps	GD-281-OB-110V	9000
10 Amps	GD-101-OB-110V	3780			



27 Isolating variable transformer-Enclosed safety variable transformer - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
1 Amps	1KVA-ISO-P	8616	5 Amps	5KVA-ISO-P	21120
2 Amps	2KVA-ISO-P	10848	0.5 Amps	05KVA-ISO-P	5040
3 Amps	3KVA-ISO-P	12912	0.75 Amps	075KVA-ISO-P	7944
4 Amps	4KVA-ISO-P	17220			



28 Single Phase variable voltage auto transformer-open unit input 240V-output Special - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GD-21-P-SPL		15 Amps	GD-151-P-SPL	
4 Amps	GD-41-P-SPL		20 Amps	GD-201-P-SPL	
8 Amps	GD-81-P-SPL		28 Amps	GD-281-P-SPL	
10 Amps	GD-101-P-SPL				



29 Dimmer Dot of Table 1 with Roller Carbon - Input : 240 / 270 V Output : 0-270 V

Rating	Cat No. Type	Price ₹	Rating	Cat No. Type	Price ₹
2 Amps	GDR-21-OB	1800	10 Amps	GDR-101-P	6696
2 Amps	GDR-21-P	2640	15 Amps	GDR-151-OB	7800
4 Amps	GDR-41-OB	3792	15 Amps	GDR-151-P	8850
4 Amps	GDR-41-P	4548	20 Amps	GDR-201-OB	10920
8 Amps	GDR-81-OB	4740	20 Amps	GDR-201-P	10920
8 Amps	GDR-81-P	5664	28 Amps	GDR-281-OB	14100
10 Amps	GDR-101-OB	5664	28 Amps	GDR-281-P	14100



TERMS & CONDITIONS

Price : Price are Net & ex-works New Delhi
 Excise Duty : Extra as Applicable : say @ 12.36% or Nil
 Packing & Forwarding : Extra @ 3%
 Sale Tax : Extra as Applicable - VAT 14% & CST 2% against form C or D
 Payment : Advance : 30% Balance : Against Delievr/ document through Bank
 Warrantee : One Year against any manufacturing defects. Standard Units above 28 A Capacities are OIL NATURAL COOLED Type
 The PRICES for OIL NATURAL COOLEDunits areWITHOUT FIRST FILL OF TRANSFORMERS OIL
 SPECIAL OEM Units : are available at apecial negotiated Price. Such units are economized versions with Special Voltages, mountings, bases, supports & or Terminal Plates etc.